



CITISTAT FIRE DEPARTMENT

Acting Department Head: CARL E. MCDONALD

Date Appoint:

Assistant Chief (Administration): Michael E. Dalton

Acting Assistant Chief (Operations): Donald W. Heinbuch

Acting Assistant Chief (Planning and Technical Service): Michael S. Kernan



PERSONNEL	FY2001	FY2002	FY2002	% Change	ANNUAL BUDGET	EXPEND-		
	BUDGET	BUDGET	FILLED			FY2002	TO-DATE*	%
Administration	30	31	26		Administration	\$1,861,177	\$445,457	23.9%
Training	13	14	14		Training	\$1,109,630	\$302,508	27.3%
Operations	1,416	1,418	1,365		Fire Suppression	\$81,699,136	\$23,449,884	28.7%
Fire Marshal	37	37	34		Fire Marshal	\$2,574,566	\$594,823	23.1%
Support Services	6	6	2		Support Services	\$5,484,622	\$742,856	13.5%
Fire Alarm & Comm.	56	51	44		Fire Alarm & Comm.	\$3,881,670	\$1,287,810	33.2%
EMS General Fund	172	173	155		Ambulance Services - GF	\$8,292,248	\$2,337,061	28.2%
EMS Special Fund	24	24	23		Ambulance Services - SF	\$5,646,968	\$550,863	9.8%
					N/actuarial Retire. Ben.	\$283,000	\$50,310	17.8%

*Expenditures - September 2001

PERSONNEL DATA

	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	09/12-09/25	09/26-10/9	10/10-10/23	10/24-11/06		Average	Minimum	Maximum	Total	Periods
OVERTIME (HOURS)	5,126	5,741	6,697	6,793	1.4%	6604.8	2941.5	11215.7	191538.0	29
Administration	135	145	145	117	-19.3%	166.7	111.0	300.5	4833.2	29
Training	31	0	102	61	-40.2%	159.8	0.0	444.0	4634.5	29
Fire Suppression	4,592	5,110	5,562	6,157	10.7%	5675.6	2141.5	10219.2	164591.7	29
Fire Marshal	85	153	262	102	-61.1%	142.3	47.0	300.0	4127.1	29
Support Services	17	26	17	1	-94.1%	33.4	0.0	121.0	968.0	29
Fire Alarm & Comm.	266	307	609	355	-41.7%	427.0	266.0	678.0	12383.0	29
UNSCHED. LEAVE (DAYS)	1	1	1	5	400.0%	4.9	0.0	20.0	142.2	29
Administration	1	1	1	0	-100.0%	1.6	0.0	8.0	46.2	29
Training	0	0	0	0	0.0%	3.1	0.0	20.0	90.0	29
Fire Suppression	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	29
Fire Marshal	0	0	0	5		0.2	0.0	5.0	6.0	29
Support Services	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	29
Fire Alarm & Comm.	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	29
EMS Staff	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	29
"A" TIME (DAYS)	261	277	275	303	10.4%	279.9	219.0	339.5	8116.5	29
Administration	0	0	0	0	0.0%	0.2	0.0	2.0	6.5	29
Training	0	0	0	0	0.0%	0.6	0.0	10.0	16.0	29
Fire Suppression	261	277	265	286	7.9%	276.5	208.0	338.0	8017.5	29
Fire Marshal	0	0	10	17	78.9%	2.6	0.0	17.0	76.5	29
Support Services	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	29
Fire Alarm & Comm.	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	29
EMS Staff	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	29
LIGHT DUTY (DAYS)	109	102	103	145	40.8%	146.3	87.0	277.0	4242.0	29
Administration	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	29
Training	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	29
Fire Suppression	109	102	103	145	40.8%	144.8	87.0	277.0	4199.0	29
Fire Marshal	0	0	0	0	0.0%	0.6	0.0	7.0	18.0	29
Support Services	0	0	0	0	0.0%	0.0	0.0	0.0	0.0	29
Fire Alarm & Comm.	0	0	0	0	0.0%	0.1	0.0	4.0	4.0	29
EMS Staff	0	0	0	0	0.0%	0.7	0.0	10.0	21.0	29
SICK (DAYS)	355	432	500	472	-5.5%	408.0	355.0	499.5	4488.5	11
Administration	1	9	11	9	-14.3%	4.0	0.5	10.5	44.0	11
Training	0	2	0	0	0.0%	1.9	0.0	10.0	21.0	11
Fire Suppression	345	397	453	422	-6.8%	384.5	343.0	453.0	4229.0	11
Fire Marshal	3	16	22	16	-27.3%	7.0	0.0	22.0	77.0	11
Support Services	0	0	0	6		0.5	0.0	6.0	6.0	11
Fire Alarm & Comm.	5	6	14	16	14.3%	9.4	0.0	24.0	103.5	11
EMS Staff	1	2	0	3		1.8	0.0	9.0	20.0	11



CITISTAT
Employee Absentee Worksheet

REPORTING PERIOD: OCTOBER 24, 2001 THROUGH NOVEMBER 06, 2001

	EMPLOYEES	REQUIRED WORK- DAYS	PRE-APP SICK	NON- SCHED SICK	SICK BANK	SICK X	X-TIME (UNAP- PROVED)	"A" TIME	PERMISS	VAC.	PERSONAL LEAVE	USED COMP TIME	FAMILY LEAVE	X- PERMISS	TOTAL
Administration	37	370	9.0	0.0	0.0	0.0	0.0	0.0	7.0	21.0	5.3	16.0	0.0	0.0	58.3
Training	14	120	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	0.0	0.0	0.0	0.0	2.0
Operations	1,418	7,975	0.0	422.0	0.0	0.0	10.0	286.0	135.0	1,516.0	3.0	8.5	66.0	59.0	2,505.5
Fire Marshal	37	308	16.0	5.0	0.0	0.0	0.0	17.0	3.0	26.0	3.5	11.7	0.0	0.0	82.2
Support Services	3	30	0.0	6.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0	0.0	0.0	0.0	11.0
Fire Alarm & Comm.	49	408	0.0	16.0	0.0	0.0	0.0	0.0	0.0	33.5	1.5	0.6	4.0	0.0	55.6
EMS Staff	18	148	0.0	3.0	0.0	0.0	0.0	0.0	0.0	14.0	1.0	4.0	4.0	0.0	26.0
TOTALS	1,578	9,359	25.0	452.0	0.0	0.0	10.0	303.0	146.0	1,616.5	14.3	40.9	74.0	59.0	2,740.7

REPORTING PERIOD: OCTOBER 10, 2001 THROUGH OCTOBER 23, 2001

	EMPLOYEES	REQUIRED WORK- DAYS	PRE-APP SICK	NON- SCHED SICK	SICK BANK	SICK X	X-TIME (UNAP- PROVED)	"A" TIME	PERMISS	VAC.	PERSONAL LEAVE	USED COMP TIME	FAMILY LEAVE	X- PERMISS	TOTAL
Administration	37	370	9.5	1.0	0.0	0.0	0.0	0.0	2.0	15.5	2.0	16.5	0.0	0.0	46.5
Training	14	120	0.0	0.0	0.0	0.0	0.0	0.0	2.0	6.0	0.0	1.0	0.0	0.0	9.0
Operations	1,418	7,975	0.0	453.0	0.0	0.0	10.0	265.0	145.0	1,537.0	6.0	6.9	57.0	56.0	2,535.9
Fire Marshal	37	283	2.0	21.0	0.0	0.0	0.0	9.5	1.0	34.5	1.0	9.8	0.0	0.0	78.8
Support Services	3	30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0	0.0	0.0	0.0	0.0	6.0
Fire Alarm & Comm.	49	408	0.0	14.0	0.0	0.0	0.0	0.0	2.0	53.0	3.3	1.1	0.0	0.0	73.4
EMS Staff	18	148	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.0	0.0	1.3	0.0	0.0	24.3
TOTALS	1,578	9,334	11.5	489.0	0.0	0.0	10.0	274.5	152.0	1,675.0	12.3	36.6	57.0	56.0	2,773.9

PERSONNEL DEPARTMENTS

Support Services - Support Services includes the Fire Apparatus Coordinator, the Assistant Fire Apparatus Coordinator and the Acting Fire Supply Coordinator. The total of employees for Support Services is three (3).

Operations - includes the fire suppression forces, paramedics, and operations staff personnel.
Note that paramedics work a shift schedule and are carried on payrolls of suppression units such as engine companies or truck.

EMS Staff - includes personnel in the Medical Bureau office and EMS Supervisors who work a shift schedule. These personnel are carried on the "Medical Bureau" payroll.



CITISTAT
Daily Callback Report

REPORTING PERIOD: OCTOBER 24, 2001 THROUGH NOVEMBER 06, 2001

	WEDNESDAY 10/24/2001	THURSDAY 10/25/2001	FRIDAY 10/26/2001	SATURDAY 10/27/2001	SUNDAY 10/28/2001	MONDAY 10/29/2001	TUESDAY 10/30/2001	TOTALS
Day	13	14	14	19	20	14	11	105
Night	9	12	22	28	24	21	23	139
TOTALS	22	26	36	47	44	35	34	244

	WEDNESDAY 10/31/2001	THURSDAY 11/1/2001	FRIDAY 11/2/2001	SATURDAY 11/3/2001	SUNDAY 11/4/2001	MONDAY 11/5/2001	TUESDAY 11/6/2001	TOTALS
Day	11	14	15	18	18	23	20	119
Night	23	20	26	25	28	19	14	155
TOTALS	34	34	41	43	46	42	34	274
							Total - Day	224
							Total -Night	294
							GT	518



CITISTAT

REPORTING PERIOD: OCTOBER 24, 2001 THROUGH NOVEMBER 06, 2001

SUMMARY INDICATORS

FIRE SUPPRESSION	FY2000 YEAR-END	FY2001 YEAR-END	FY2002			
			FY2002 (July - Sept.)	FY2002 (Oct. - Dec.)	FY2002 (Jan. - March)	FY2002 (April - June)
911 Fire Suppression Service Calls	76934	74162	19120			
Residential Structure Fires	1942	2191	523			
Private Dwellings	1465	1601	388			
Apartments	446	556	129			
Others	31	34	6			
Non-Residential Structure Fires	737	693	162	0	0	0
Public Assembly	97	53	13			
Schools & Colleges	77	59	5			
Health Care & Penal Institutions	25	51	7			
Stores & Offices	100	89	18			
Vacant Structure	158	255	67			
Others	280	186	52			
Total Structure Fires	2679	2884	685	0	0	0
Non-Structure Fires	3146	3712	1024	0	0	0
Vehicles	966	1032	290			
Area Outside of Structures	139	179	42			
Brush, Grass, Wildland	607	864	200			
Trash, Rubbish, Dumpsters	1402	1596	483			
Others	32	41	9			
HAZMAT Incidents	64	88	19			
Mutual Aid Incidences	591	399	107	0	0	0
Provided	137	112	24			
Received	454	287	83			
False (Malicious) Alarms	4532	4879	1248	0	0	0
Suppression	1330	1514	380			
EMS	3202	3365	868			
Private Alarms	6241	8130	1480	0	0	0
EMS	598	586	132			
Suppression-Residential	2071	4034	440			
Suppression-Commercial	3572	3510	908			
Average Response Times						
1st Arriving Unit	0:04:02	0:03:53	0:03:51			
First Alarm	N/A	N/A	N/A			



CITISTAT

REPORTING PERIOD: OCTOBER 24, 2001 THROUGH NOVEMBER 06, 2001

SUMMARY INDICATORS

	FY2002					
	FY2000 YEAR-END	FY2001 YEAR-END	FY2002 (July - Sept.)	FY2002 (Oct. - Dec.)	FY2002 (Jan. - March)	FY2002 (April - June)
FIRE DEATHS						
Civilian Deaths	23	22	5	0	0	0
0 - 18	8	6	1			
19 - 35	6	2	0			
36 - 59	8	10	2			
60 +	1	4	2			
Firefighter Deaths	0	0	0			
Arson-Related Fire Deaths	0	1	1			
Residential Structure Fire Deaths	21	21	4			
Non-Residential Structure Fire Deaths	1	1	0			
Other Fire Deaths	1	0	1			
Fire Deaths Occurring in Structures with Working Smoke Detector	5	4	2			
Fire Deaths Occurring in Structure without a Working Smoke Detector	18	18	2			

	FY2002					
	FY2000 YEAR-END	FY2001 YEAR-END	FY2002 (July - Sept.)	FY2002 (Oct. - Dec.)	FY2002 (Jan. - March)	FY2002 (April - June)
EMERGENCY MEDICAL SERVICES						
911 EMS Service Calls	115,799	116,327	30,484			
Runs	115,799	116,327	30,484			
Runs that Resulted in EMS Transport	78,402	81,029	20,809			
Advanced Life Support (ALS)	110,795	115,190	30,157			
Basic Life Support (BLS) Red Alert	5,004	1,137	327			
% Runs that Resulted in EMS Transport	67.71%	69.69%	68.27%			
Suppression Ambulance Assist Runs	48,611	47,094	12,315			
Response Times						
EMS Units	0:07:34	0:07:30	0:07:26			
Suppression Ambulance Assists	0:03:58	0:03:57	0:03:57			
Runs that Resulted in an EMS Billing	72,856	74,051	19,547			
% Runs that Resulted in an EMS Billing	62.92%	63.66%	64.12%			
EMS Billings (\$)	\$18,202,600	\$18,510,650	\$4,886,650			
EMS Revenue Collected	\$4,575,641	\$6,658,965	\$1,282,751			
Medicare Revenue Collected	\$2,724,027	\$4,098,035	\$878,281			
Medicaid Revenue Collected	\$266,412	\$959,645	\$158,614			
Other	\$923,473	\$1,149,992	\$211,663			
None	\$661,730	\$451,292	\$34,195			
EMS Collection Rate	25.14%	35.97%	26.25%			



CITISTAT

REPORTING PERIOD: OCTOBER 24, 2001 THROUGH NOVEMBER 06, 2001

SUMMARY INDICATORS

	FY2002					
	FY2000 YEAR-END	FY2001 YEAR-END	FY2002 (July - Sept.)	FY2002 (Oct. - Dec.)	FY2002 (Jan. - March)	FY2002 (April - June)
FIRE PREVENTION/INVESTIGATIONS						
Public Fire Safety Education (Persons)	16,759	74,383	11,695			
Community Meetings/Events	160	326	73			
Inspections	20,196	24,795	6,492			
Permits Issued	6,647	7,213	1,665			
Smoke Detectors Distributed	8,294	11,067	3,426			
Smoke Detectors Installed	8,002	10,830	3,386			
Fire Marshal's Office Investigations	1,252	1,384	306			
Incendiary/Arson as Cause of Fire	559	597	169			
Investigation-Related Criminal Arrests	52 (CY)	79	19			



CITISTAT

REPORTING PERIOD: OCTOBER 24, 2001 THROUGH NOVEMBER 06, 2001

FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	09-12-09/25	09/26-10/9	10/10-10/23	10/24-11/06		Average	Minimum	Maximum	Total	Periods
Engine 2										
Total Responses	53	53	81	74	-8.6%	66.9	53.0	85.0	1940	29
EMS Responses	20	25	24	31	29.2%	31.0	20.0	50.0	899	29
Building Inspections Performed	6	5	3	7	133.3%	5.3	-	15.0	155	29
Home Visit Inspections Performed	27	27	12	32	166.7%	36.2	-	131.0	1049	29
Hydrants Inspected	34	34	34	34	0.0%	39.5	-	64.0	1146	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.0	-	3.0	59	29
Fire Prevention Presentations	0	0	0	0	0.0%	0.2	-	5.0	7	29
Smoke Detectors Installed	1	2	0	0	0.0%	1.4	-	14.0	41	29
Battalion Training (Hours)	2	4	4	2	-50.0%	2.2	-	6.0	63	29
Company Training (Hours)	8	6	3.3	3	-9.1%	4.0	-	13.0	115.2	29
Total Time in Service	42.45	50.5	55.45	51.5	-7.1%	47.0	28.1	88.2	1362.82	29
Engine 4										
Total Responses	56	75	89	74	-16.9%	69.6	52.0	89.0	2019	29
EMS Responses	32	30	41	31	-24.4%	30.9	21.0	41.0	896	29
Building Inspections Performed	3	8	9	2	-77.8%	6.6	-	41.0	190	29
Home Visit Inspections Performed	26	79	126	24	-81.0%	68.1	-	318.0	1974	29
Hydrants Inspected	34	34	34	37	8.8%	30.3	-	53.0	880	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.0	-	5.0	58	29
Fire Prevention Presentations	0	0	0	3		1.1	-	9.0	33	29
Smoke Detectors Installed	16	8	14	6	-57.1%	18.6	-	41.0	540	29
Battalion Training (Hours)	8	6	7	4	-42.9%	7.0	4.0	11.0	204.3	29
Company Training (Hours)	14.3	10	13	10	-23.1%	12.1	6.0	18.0	351.15	29
Total Time in Service	60.3	64.45	74.3	63	-15.2%	65.4	49.2	86.0	1897.66	29
Engine 5										
Total Responses	65	87	109	98	-10.1%	85.4	56.0	109.0	2478	29
EMS Responses	34	46	63	50	-20.6%	39.8	26.0	63.0	1155	29
Building Inspections Performed	8	10	9	7	-22.2%	6.3	-	12.0	184	29
Home Visit Inspections Performed	105	52	28	67	139.3%	43.4	-	110.0	1260	29
Hydrants Inspected	27	40	37	30	-18.9%	27.0	-	53.0	784	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.3	2.0	4.0	67	29
Fire Prevention Presentations	0	1	2	0	-100.0%	0.7	-	5.0	20	29
Smoke Detectors Installed	0	0	3	7	133.3%	5.2	-	24.0	150	29
Battalion Training (Hours)	6	4	1	3	200.0%	4.1	1.0	8.0	119.2	29
Company Training (Hours)	6	6	8	9	12.5%	6.9	4.0	11.0	199.9	29
Total Time in Service	51.45	59.45	62.45	54.3	-13.1%	58.3	38.5	91.3	1690.39	29
Engine 6										
Total Responses	154	141	154	187	21.4%	155.0	110.0	209.0	4495	29
EMS Responses	71	69	58	64	10.3%	67.2	44.0	98.0	1948	29
Building Inspections Performed	9	9	7	9	28.6%	7.2	1.0	16.0	210	29
Home Visit Inspections Performed	6	4	2	31	1450.0%	10.8	-	45.0	312	29
Hydrants Inspected	41	42	32	41	28.1%	27.5	-	42.0	797	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	3	3	2	3	50.0%	2.5	2.0	4.0	73	29
Fire Prevention Presentations	0	0	0	0	0.0%	1.0	-	5.0	28	29
Smoke Detectors Installed	0	0	0	0	0.0%	0.3	-	7.0	10	29
Battalion Training (Hours)	2	3.3	6	4	-33.3%	3.7	-	8.0	107.6	29
Company Training (Hours)	7.3	6	8	4	-50.0%	6.5	2.0	20.0	188.3	29
Total Time in Service	64.25	67.3	74.54	80.25	7.7%	78.1	56.6	160.5	2265.26	29



CITISTAT

REPORTING PERIOD: OCTOBER 24, 2001 THROUGH NOVEMBER 06, 2001

FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	09-12-09/25	09/26-10/9	10/10-10/23	10/24-11/06		Average	Minimum	Maximum	Total	Periods
Engine 8										
Total Responses	87	134	131	102	-22.1%	103.1	80.0	134.0	2989	29
EMS Responses	40	61	57	45	-21.1%	43.7	31.0	61.0	1268	29
Building Inspections Performed	7	5	2	14	600.0%	10.8	1.0	31.0	313	29
Home Visit Inspections Performed	20	18	12	15	25.0%	21.7	-	65.0	629	29
Hydrants Inspected	34	43	72	39	-45.8%	41.2	7.0	99.0	1196	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.2	2.0	4.0	64	29
Fire Prevention Presentations	3	3	3	1	-66.7%	2.1	-	16.0	61	29
Smoke Detectors Installed	12	4	15	2	-86.7%	10.2	-	32.0	296	29
Battalion Training (Hours)	4	4	4	4	0.0%	3.8	-	5.3	111.6	29
Company Training (Hours)	13	11	12	10	-16.7%	12.1	7.0	22.0	351.2	29
Total Time in Service	72.3	84.3	77	67	-13.0%	70.9	46.5	84.3	2055.58	29
Engine 13										
Total Responses	121	144	138	163	18.1%	144.5	120.0	168.0	4190	29
EMS Responses	50	53	51	58	13.7%	60.3	39.0	78.0	1749	29
Building Inspections Performed	3	9	2	3	50.0%	8.6	2.0	25.0	250	29
Home Visit Inspections Performed	17	6	23	28	21.7%	22.9	-	70.0	665	29
Hydrants Inspected	40	40	60	47	-21.7%	41.9	20.0	80.0	1215	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	3	50.0%	2.4	2.0	4.0	70	29
Fire Prevention Presentations	2	4	14	0	-100.0%	2.2	-	20.0	63.5	29
Smoke Detectors Installed	6	13	0	17		7.9	-	32.0	230	29
Battalion Training (Hours)	2	2	2	1	-50.0%	3.8	-	12.0	110.3	29
Company Training (Hours)	9	8	8	22	175.0%	8.5	3.0	22.0	246.3	29
Total Time in Service	59.15	73.55	69.35	95.05	37.1%	80.0	55.5	130.2	2319.25	29
Engine 14										
Total Responses	142	127	118	158	33.9%	131.6	104.0	171.0	3815	29
EMS Responses	91	73	63	80	27.0%	77.7	52.0	100.0	2252	29
Building Inspections Performed	6	7	8	11	37.5%	10.0	2.0	21.0	289	29
Home Visit Inspections Performed	83	34	67	46	-31.3%	47.9	-	185.0	1389	29
Hydrants Inspected	38	30	28	36	28.6%	29.2	10.0	48.0	847	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	2	0.0%	2.2	2.0	3.0	63	29
Fire Prevention Presentations	0	5	1	1	0.0%	0.5	-	5.0	15	29
Smoke Detectors Installed	24	0	16	22	37.5%	12.1	-	48.0	351	29
Battalion Training (Hours)	4	6	4	4	0.0%	4.5	2.0	8.5	131.35	29
Company Training (Hours)	8.3	10	10.15	12	18.2%	11.5	4.0	22.0	334.6	29
Total Time in Service	75.45	84	76.45	90.3	18.1%	82.7	56.5	120.2	2398.61	29
Engine 20										
Total Responses	86	87	75	98	30.7%	75.8	60.0	105.0	2197	29
EMS Responses	51	48	41	50	22.0%	39.6	20.0	60.0	1149	29
Building Inspections Performed	7	10	12	9	-25.0%	7.1	-	23.0	205	29
Home Visit Inspections Performed	60	50	97	53	-45.4%	39.9	-	118.0	1156	29
Hydrants Inspected	60	65	62	76	22.6%	67.3	-	137.0	1953	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.5	2.0	3.0	72	29
Fire Prevention Presentations	0	8	2	0	-100.0%	2.4	-	25.0	70	29
Smoke Detectors Installed	6	0	27	8	-70.4%	16.2	-	65.0	471	29
Battalion Training (Hours)	12	13.3	14	13	-7.1%	12.4	6.0	21.0	360.8	29
Company Training (Hours)	12	11	11.45	11.3	-1.3%	11.6	4.0	19.3	335.53	29
Total Time in Service	69.3	86.3	78.55	78.4	-0.2%	70.2	54.3	116.2	2035.87	29



CITISTAT

REPORTING PERIOD: OCTOBER 24, 2001 THROUGH NOVEMBER 06, 2001

FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	09-12-09/25	09/26-10/9	10/10-10/23	10/24-11/06		Average	Minimum	Maximum	Total	Periods
Engine 21										
Total Responses	65	78	62	57	-8.1%	64.9	40.0	82.0	1881	29
EMS Responses	34	43	33	26	-21.2%	36.8	20.0	54.0	1068	29
Building Inspections Performed	6	7	3	6	100.0%	5.4	-	12.0	156	29
Home Visit Inspections Performed	85	67	54	78	44.4%	54.4	-	118.0	1579	29
Hydrants Inspected	34	29	32	34	6.3%	26.5	-	45.0	769	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.1	-	4.0	61	29
Fire Prevention Presentations	0	0	5	0	-100.0%	0.8	-	5.0	24	29
Smoke Detectors Installed	26	7	2	5	150.0%	10.4	-	38.0	303	29
Battalion Training (Hours)	6	10	8	5.3	-33.8%	6.1	-	10.0	176.7	29
Company Training (Hours)	7.3	5.3	2	7	250.0%	5.2	-	36.0	149.4	29
Total Time in Service	51.5	59.3	47.3	54	14.2%	49.4	27.5	79.0	1432.33	29
Engine 23										
Total Responses	117	114	127	138	8.7%	123.8	102.0	149.0	3589	29
EMS Responses	57	43	38	49	28.9%	51.4	38.0	70.0	1490	29
Building Inspections Performed	4	4	11	4	-63.6%	7.1	-	21.0	206	29
Home Visit Inspections Performed	0	0	35	10	-71.4%	25.1	-	122.0	728	29
Hydrants Inspected	25	25	25	25	0.0%	25.0	2.0	83.0	725	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	2	0.0%	2.6	2.0	5.0	74	29
Fire Prevention Presentations	0	2	0	1		0.5	-	3.0	15	29
Smoke Detectors Installed	0	0	0	0	0.0%	0.6	-	6.0	16	29
Battalion Training (Hours)	2	5	2	1	-50.0%	3.2	-	6.0	92	29
Company Training (Hours)	6	15	12	15	25.0%	11.5	3.0	46.0	334.3	29
Total Time in Service	48.35	67.2	66.3	72.25	9.0%	68.5	48.4	117.2	1986.87	29
Engine 26										
Total Responses	41	43	38	35	-7.9%	40.4	24.0	56.0	1172	29
EMS Responses	14	15	14	13	-7.1%	17.2	5.0	29.0	500	29
Building Inspections Performed	4	6	5	4	-20.0%	4.6	-	12.0	133	29
Home Visit Inspections Performed	54	64	75	36	-52.0%	56.3	-	182.0	1632	29
Hydrants Inspected	22	22	22	22	0.0%	27.8	-	79.0	807	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	2	0.0%	2.2	1.0	3.0	63	29
Fire Prevention Presentations	1	0	3	0	-100.0%	0.5	-	3.0	14	29
Smoke Detectors Installed	2	7	8	0	-100.0%	4.1	-	17.0	118	29
Battalion Training (Hours)	4	5	4	4	0.0%	3.6	-	8.0	105	29
Company Training (Hours)	12	11	13	13	0.0%	11.8	6.0	17.3	340.95	29
Total Time in Service	45.55	60	48.3	46.3	-4.1%	52.1	34.1	89.2	1511.7	29
Engine 27										
Total Responses	58	75	76	86	13.2%	67.4	54.0	86.0	1954	29
EMS Responses	26	37	40	38	-5.0%	32.3	21.0	41.0	936	29
Building Inspections Performed	9	11	11	17	54.5%	10.3	-	19.0	299	29
Home Visit Inspections Performed	35	70	12	42	250.0%	36.9	-	103.0	1071	29
Hydrants Inspected	35	32	34	42	23.5%	33.6	-	74.0	975	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.2	2.0	3.0	64	29
Fire Prevention Presentations	0	0	2	3	50.0%	0.9	-	6.0	27	29
Smoke Detectors Installed	3	4	2	4	100.0%	8.1	-	26.0	235	29
Battalion Training (Hours)	2	4	3	4	33.3%	4.2	-	9.3	121.35	29
Company Training (Hours)	10	8	8	6	-25.0%	8.3	5.0	13.0	241.6	29
Total Time in Service	45.15	55.15	49.3	62	25.8%	56.1	39.5	84.6	1625.67	29



CITISTAT

REPORTING PERIOD: OCTOBER 24, 2001 THROUGH NOVEMBER 06, 2001

FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	09-12-09/25	09/26-10/9	10/10-10/23	10/24-11/06		Average	Minimum	Maximum	Total	Periods
Engine 29										
Total Responses	119	107	132	109	-17.4%	115.6	88.0	140.0	3353	29
EMS Responses	81	66	85	72	-15.3%	74.8	57.0	99.0	2169	29
Building Inspections Performed	5	10	7	7	0.0%	6.9	-	22.0	199	29
Home Visit Inspections Performed	96	15	94	54	-42.6%	57.3	-	218.0	1662	29
Hydrants Inspected	27	71	38	52	36.8%	51.4	-	139.0	1490	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.3	-	6.0	66	29
Fire Prevention Presentations	1	1	2	0	-100.0%	1.2	-	9.0	34	29
Smoke Detectors Installed	0	6	10	3	-70.0%	16.6	-	54.0	481	29
Battalion Training (Hours)	8.15	7.3	5.3	8.3	56.6%	6.9	-	12.0	200.55	29
Company Training (Hours)	6	7	10	12	20.0%	9.1	2.2	18.0	265.1	29
Total Time in Service	67.05	84.55	81.25	71.35	-12.2%	87.1	56.3	120.2	2525.21	29
Engine 30										
Total Responses	86	79	87	116	33.3%	82.8	66.0	116.0	2402	29
EMS Responses	35	45	42	49	16.7%	39.8	27.0	58.0	1153	29
Building Inspections Performed	8	7	7	7	0.0%	6.5	2.0	16.0	188	29
Home Visit Inspections Performed	46	21	14	0	-100.0%	36.4	-	213.0	1057	29
Hydrants Inspected	28	30	34	33	-2.9%	33.0	-	80.0	957	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	2	0.0%	2.1	-	3.0	61	29
Fire Prevention Presentations	1	0	0	0	0.0%	0.5	-	8.0	15	29
Smoke Detectors Installed	17	0	0	0	0.0%	8.3	-	28.0	242	29
Battalion Training (Hours)	4	4	4	4	0.0%	5.1	4.0	13.0	147	29
Company Training (Hours)	8	6	4	7	75.0%	6.5	1.0	14.0	188	29
Total Time in Service	61.45	56	60.45	80	32.3%	63.5	43.5	97.2	1841.2	29
Engine 31										
Total Responses	89	76	106	87	-17.9%	98.3	76.0	116.0	2850	29
EMS Responses	57	37	45	30	-33.3%	45.4	30.0	58.0	1317	29
Building Inspections Performed	8	16	13	10	-23.1%	7.1	1.0	16.0	206	29
Home Visit Inspections Performed	45	20	19	48	152.6%	25.6	-	133.0	741	29
Hydrants Inspected	52	52	52	52	0.0%	37.3	-	62.0	1082	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	2	0.0%	2.4	1.0	5.0	69	29
Fire Prevention Presentations	2	0	0	1		0.8	-	6.0	23	29
Smoke Detectors Installed	2	14	7	0	-100.0%	6.3	-	27.0	182	29
Battalion Training (Hours)	3	4	4	4	0.0%	3.6	2.0	7.0	104.4	29
Company Training (Hours)	7	8	8	7	-12.5%	8.7	4.0	18.0	252.3	29
Total Time in Service	55.2	55.26	64.05	64.1	0.1%	63.6	51.5	124.5	1844.89	29
Engine 33										
Total Responses	127	114	78	118	51.3%	113.9	78.0	133.0	3302	29
EMS Responses	78	55	43	55	27.9%	55.4	38.0	78.0	1607	29
Building Inspections Performed	12	13	7	11	57.1%	11.1	2.0	28.0	321	29
Home Visit Inspections Performed	34	25	47	54	14.9%	47.3	-	134.0	1372	29
Hydrants Inspected	53	52	52	52	0.0%	43.9	-	92.0	1273	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.1	-	4.0	62	29
Fire Prevention Presentations	0	3	0	0	0.0%	1.6	-	26.0	46	29
Smoke Detectors Installed	6	2	6	12	100.0%	12.2	-	54.0	353	29
Battalion Training (Hours)	4	4	4	6.3	57.5%	3.7	1.0	10.0	106.85	29
Company Training (Hours)	11	11	7.3	4	-45.2%	6.7	2.0	18.0	195.5	29
Total Time in Service	90.3	102.4	82	94.3	15.0%	85.7	61.5	118.3	2485.16	29



CITISTAT

REPORTING PERIOD: OCTOBER 24, 2001 THROUGH NOVEMBER 06, 2001

FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	09-12-09/25	09/26-10/9	10/10-10/23	10/24-11/06		Average	Minimum	Maximum	Total	Periods
Engine 35										
Total Responses	40	50	70	61	-12.9%	43.8	31.0	70.0	1271	29
EMS Responses	24	28	23	19	-17.4%	23.8	15.0	33.0	689	29
Building Inspections Performed	0	9	1	7	600.0%	2.6	-	9.0	75	29
Home Visit Inspections Performed	6	22	12	9	-25.0%	23.4	-	131.0	679	29
Hydrants Inspected	22	22	22	12	-45.5%	23.5	-	88.0	682	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.2	1.0	4.0	64	29
Fire Prevention Presentations	0	3	1	0	-100.0%	0.9	-	8.0	27	29
Smoke Detectors Installed	1	0	0	2		5.0	-	24.0	146	29
Battalion Training (Hours)	2	0	2	3	50.0%	4.1	-	37.0	119.3	29
Company Training (Hours)	14	7	4	7	75.0%	6.6	2.0	16.0	191.3	29
Total Time in Service	37.4	54.55	52.5	51.5	-1.9%	43.8	28.2	94.3	1271.21	29
Engine 36										
Total Responses	87	81	82	87	6.1%	85.0	61.0	107.0	2466	29
EMS Responses	12	41	35	30	-14.3%	38.2	12.0	56.0	1108	29
Building Inspections Performed	21	21	24	20	-16.7%	10.3	-	24.0	299	29
Home Visit Inspections Performed	82	101	80	95	18.8%	39.5	-	124.0	1145	29
Hydrants Inspected	66	59	60	57	-5.0%	36.4	-	67.0	1057	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	2	0.0%	2.1	1.0	3.0	62	29
Fire Prevention Presentations	0	6	4	0	-100.0%	0.8	-	6.0	22	29
Smoke Detectors Installed	50	15	41	6	-85.4%	20.0	-	62.0	580	29
Battalion Training (Hours)	4	4	5	4	-20.0%	3.7	2.0	6.0	106.3	29
Company Training (Hours)	7	5	6	5	-16.7%	23.4	2.0	515.0	678	29
Total Time in Service	64.3	69.45	72	70.4	-2.2%	59.0	39.3	96.5	1711.74	29
Engine 40										
Total Responses	79	71	74	85	14.9%	75.7	52.0	97.0	2196	29
EMS Responses	42	30	39	35	-10.3%	40.2	18.0	62.0	1165	29
Building Inspections Performed	5	14	3	4	33.3%	6.6	-	38.0	190	29
Home Visit Inspections Performed	58	13	42	27	-35.7%	53.5	-	203.0	1551	29
Hydrants Inspected	66	62	61	63	3.3%	56.9	-	144.0	1650	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	2	0.0%	2.7	2.0	5.0	77	29
Fire Prevention Presentations	1	11	9	3	-66.7%	2.2	-	16.0	64	29
Smoke Detectors Installed	0	14	6	5	-16.7%	10.9	-	59.0	317	29
Battalion Training (Hours)	13	7	8.3	11	32.5%	10.1	5.3	14.1	291.65	29
Company Training (Hours)	10	14	9.3	12	29.0%	12.5	9.0	22.3	362.2	29
Total Time in Service	65.05	73.25	73.4	65.2	-11.2%	68.9	43.4	100.5	1998.45	29
Engine 41										
Total Responses	79	69	72	80	11.1%	78.6	58.0	99.0	2280	29
EMS Responses	50	39	36	47	30.6%	46.8	33.0	62.0	1356	29
Building Inspections Performed	8	9	10	12	20.0%	12.7	2.0	110.0	367	29
Home Visit Inspections Performed	120	46	75	71	-5.3%	59.2	-	168.0	1717	29
Hydrants Inspected	42	45	40	38	-5.0%	41.5	10.0	63.0	1204	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	3	50.0%	2.6	2.0	4.0	75	29
Fire Prevention Presentations	0	2	5	0	-100.0%	1.2	-	7.0	36	29
Smoke Detectors Installed	3	16	0	25		9.9	-	45.0	287	29
Battalion Training (Hours)	6	3	3.3	6	81.8%	5.1	-	12.0	148.35	29
Company Training (Hours)	13	13	11.3	20	77.0%	10.6	4.0	20.0	307.96	29
Total Time in Service	61.3	69.45	58.3	67.3	15.4%	61.5	41.2	84.0	1783.4	29



CITISTAT

REPORTING PERIOD: OCTOBER 24, 2001 THROUGH NOVEMBER 06, 2001

FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	09-12-09/25	09/26-10/9	10/10-10/23	10/24-11/06		Average	Minimum	Maximum	Total	Periods
Engine 42										
Total Responses	38	41	54	56	3.7%	52.4	30.0	72.0	1520	29
EMS Responses	18	13	18	22	22.2%	23.9	13.0	35.0	693	29
Building Inspections Performed	10	8	5	6	20.0%	4.7	-	10.0	136	29
Home Visit Inspections Performed	43	54	33	23	-30.3%	57.8	-	169.0	1675	29
Hydrants Inspected	62	62	64	66	3.1%	47.2	-	75.0	1370	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.1	-	5.0	62	29
Fire Prevention Presentations	0	1	2	0	-100.0%	1.1	-	7.0	32	29
Smoke Detectors Installed	2	20	12	5	-58.3%	9.2	-	25.0	268	29
Battalion Training (Hours)	11	7	8	6	-25.0%	6.7	2.0	11.0	193.3	29
Company Training (Hours)	7	5	9	8	-11.1%	10.9	1.0	28.0	315.9	29
Total Time in Service	44.3	43.45	59	56.45	-4.3%	54.0	34.6	81.3	1566.45	29
Engine 43										
Total Responses	53	80	75	84	12.0%	72.9	53.0	89.0	2114	29
EMS Responses	29	43	33	34	3.0%	42.7	29.0	56.0	1238	29
Building Inspections Performed	7	4	4	4	0.0%	4.1	-	10.0	120	29
Home Visit Inspections Performed	28	110	109	51	-53.2%	52.6	-	150.0	1524	29
Hydrants Inspected	47	45	45	58	28.9%	38.2	-	58.0	1107	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	3	50.0%	2.3	1.0	3.0	67	29
Fire Prevention Presentations	0	2	4	0	-100.0%	0.8	-	4.0	24	29
Smoke Detectors Installed	0	9	0	12		8.8	-	48.0	256	29
Battalion Training (Hours)	7	7	6	7.3	21.7%	5.6	-	10.0	162.9	29
Company Training (Hours)	3	3	1	0	-100.0%	7.0	-	17.0	202.5	29
Total Time in Service	47	62.2	54	55.3	2.4%	54.0	43.0	64.4	1565.17	29
Engine 44										
Total Responses	30	49	62	57	-8.1%	45.0	30.0	62.0	1306	29
EMS Responses	5	11	19	18	-5.3%	12.4	2.0	20.0	360	29
Building Inspections Performed	6	13	12	7	-41.7%	6.0	-	15.0	173	29
Home Visit Inspections Performed	135	97	173	118	-31.8%	100.8	-	282.0	2924	29
Hydrants Inspected	38	38	38	38	0.0%	32.6	-	59.0	946	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.5	2.0	4.0	73	29
Fire Prevention Presentations	0	2	1	0	-100.0%	1.2	-	10.0	35	29
Smoke Detectors Installed	2	7	4	10	150.0%	3.9	-	14.0	113	29
Battalion Training (Hours)	6.3	5	3	6	100.0%	6.8	3.0	11.0	198.6	29
Company Training (Hours)	3	4	6	9.3	55.0%	6.2	1.5	18.0	179.1	29
Total Time in Service	41.45	68	56.15	70.15	24.9%	53.6	36.6	78.3	1553.9	29
Engine 45										
Total Responses	57	43	52	51	-1.9%	52.0	33.0	66.0	1508	29
EMS Responses	42	23	21	22	4.8%	28.7	17.0	45.0	833	29
Building Inspections Performed	1	3	2	4	100.0%	3.7	-	12.0	107	29
Home Visit Inspections Performed	49	46	31	50	61.3%	35.7	-	84.0	1035	29
Hydrants Inspected	48	40	46	41	-10.9%	38.5	-	70.0	1116	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	1.9	-	3.0	56	29
Fire Prevention Presentations	0	1	0	1		0.9	-	4.0	25	29
Smoke Detectors Installed	0	4	7	0	-100.0%	4.2	-	20.0	123	29
Battalion Training (Hours)	10	7.3	12	10	-16.7%	9.3	2.0	17.0	270.8	29
Company Training (Hours)	5	4	6	8	33.3%	8.4	-	19.0	242.8	29
Total Time in Service	47.21	56.25	55.52	50.15	-9.7%	54.5	41.1	72.4	1581.62	29



CITISTAT

REPORTING PERIOD: OCTOBER 24, 2001 THROUGH NOVEMBER 06, 2001

FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	09-12-09/25	09/26-10/9	10/10-10/23	10/24-11/06		Average	Minimum	Maximum	Total	Periods
Engine 46										
Total Responses	119	119	127	132	3.9%	118.7	96.0	142.0	3442	29
EMS Responses	75	65	58	63	8.6%	71.4	53.0	95.0	2070	29
Building Inspections Performed	7	10	9	6	-33.3%	9.3	5.0	17.0	271	29
Home Visit Inspections Performed	163	69	128	78	-39.1%	101.5	-	358.0	2943	29
Hydrants Inspected	49	60	42	41	-2.4%	43.9	2.0	127.0	1274	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	3	50.0%	2.7	2.0	7.0	77	29
Fire Prevention Presentations	0	3	2	3	50.0%	1.8	-	10.0	51	29
Smoke Detectors Installed	19	9	0	8		11.7	-	49.0	338	29
Battalion Training (Hours)	5	6	9	13.3	47.8%	8.7	5.0	14.0	253	29
Company Training (Hours)	11.3	7	8	7	-12.5%	9.7	3.0	27.0	282.55	29
Total Time in Service	69.5	76.15	86.35	79.4	-8.0%	83.5	67.4	110.1	2420.16	29
Engine 47										
Total Responses	29	38	38	39	2.6%	36.4	21.0	53.0	1057	29
EMS Responses	16	15	13	16	23.1%	16.3	7.0	23.0	472	29
Building Inspections Performed	7	7	6	10	66.7%	6.8	-	19.0	196	29
Home Visit Inspections Performed	26	79	29	40	37.9%	63.9	-	272.0	1852	29
Hydrants Inspected	34	34	34	34	0.0%	29.8	-	53.0	865	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.3	2.0	3.0	67	29
Fire Prevention Presentations	0	0	0	1		1.6	-	16.0	47	29
Smoke Detectors Installed	1	0	0	2		4.0	-	18.0	116	29
Battalion Training (Hours)	7	4	8	8	0.0%	7.0	4.0	14.0	203.3	29
Company Training (Hours)	15	16	10	9	-10.0%	13.4	8.0	34.0	387.95	29
Total Time in Service	46.3	61.45	53.45	51.45	-3.7%	55.6	32.1	76.3	1613.49	29
Engine 50										
Total Responses	43	52	46	53	15.2%	47.0	34.0	75.0	1364	29
EMS Responses	26	28	30	31	3.3%	28.2	19.0	44.0	818	29
Building Inspections Performed	9	9	5	14	180.0%	9.5	2.0	22.0	276	29
Home Visit Inspections Performed	42	32	75	98	30.7%	42.9	-	139.0	1245	29
Hydrants Inspected	69	45	35	46	31.4%	44.7	-	82.0	1297	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	2	0.0%	2.2	1.0	4.0	65	29
Fire Prevention Presentations	0	0	1	1	0.0%	0.4	-	3.0	13	29
Smoke Detectors Installed	0	0	4	0	-100.0%	3.8	-	23.0	111	29
Battalion Training (Hours)	5	8	8	5.3	-33.8%	10.3	5.0	16.0	298.2	29
Company Training (Hours)	12	12.3	12	13	8.3%	10.0	5.0	17.2	291.4	29
Total Time in Service	49.55	65	47.3	60.4	27.7%	54.8	35.4	68.6	1590.21	29
Engine 51										
Total Responses	107	144	146	147	0.7%	139.8	107.0	183.0	4054	29
EMS Responses	75	94	85	71	-16.5%	78.8	56.0	101.0	2285	29
Building Inspections Performed	8	10	15	9	-40.0%	9.6	-	27.0	278	29
Home Visit Inspections Performed	86	93	110	85	-22.7%	71.9	-	184.0	2086	29
Hydrants Inspected	36	36	44	39	-11.4%	32.4	-	111.0	940	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.1	2.0	3.0	61	29
Fire Prevention Presentations	2	2	1	0	-100.0%	1.2	-	9.0	34	29
Smoke Detectors Installed	0	24	14	9	-35.7%	13.0	-	32.0	376	29
Battalion Training (Hours)	6	6	0	5.3		5.9	-	17.0	170.9	29
Company Training (Hours)	11	9.3	11	10	-9.1%	11.7	6.0	16.0	338.6	29
Total Time in Service	69	82.15	81.45	78	-4.2%	82.1	57.0	166.3	2381.33	29



CITISTAT

REPORTING PERIOD: OCTOBER 24, 2001 THROUGH NOVEMBER 06, 2001

FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	09-12-09/25	09/26-10/9	10/10-10/23	10/24-11/06		Average	Minimum	Maximum	Total	Periods
Engine 52										
Total Responses	99	102	107	126	17.8%	108.4	91.0	137.0	3144	29
EMS Responses	54	44	50	66	32.0%	57.3	44.0	72.0	1663	29
Building Inspections Performed	11	10	8	7	-12.5%	7.4	-	11.0	214	29
Home Visit Inspections Performed	53	54	45	103	128.9%	48.4	-	142.0	1403	29
Hydrants Inspected	54	30	43	36	-16.3%	35.0	-	62.0	1015	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.1	1.0	4.0	62	29
Fire Prevention Presentations	0	7	2	2	0.0%	0.9	-	7.0	27	29
Smoke Detectors Installed	21	41	22	27	22.7%	16.4	-	52.0	476	29
Battalion Training (Hours)	8	8	10	11	10.0%	10.5	1.0	114.0	305.9	29
Company Training (Hours)	18.35	9.3	3	6	100.0%	10.5	1.3	25.0	303.95	29
Total Time in Service	74.56	90.1	73.05	83.4	14.2%	73.8	52.5	120.0	2139.05	29
Engine 53										
Total Responses	52	55	69	60	-13.0%	64.4	50.0	79.0	1868	29
EMS Responses	29	34	42	30	-28.6%	37.6	28.0	48.0	1089	29
Building Inspections Performed	12	6	6	9	50.0%	6.9	2.0	13.0	200	29
Home Visit Inspections Performed	21	48	22	32	45.5%	41.5	-	125.0	1202.06	29
Hydrants Inspected	68	65	66	65	-1.5%	53.2	-	102.0	1542	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	3	3	0.0%	2.5	2.0	4.0	73	29
Fire Prevention Presentations	1	0	11	1	-90.9%	2.0	-	16.0	58	29
Smoke Detectors Installed	5	0	30	16	-46.7%	24.1	-	80.0	699	29
Battalion Training (Hours)	5	5	4	3	-25.0%	3.2	-	7.3	91.9	29
Company Training (Hours)	14.3	18	11	15	36.4%	10.5	5.0	31.0	304.95	29
Total Time in Service	53.45	65.3	68	63	-7.4%	56.7	37.0	72.0	1645.4	29
Engine 54										
Total Responses	39	62	61	66	8.2%	54.6	32.0	72.0	1584	29
EMS Responses	29	34	27	32	18.5%	32.2	8.0	53.0	935	29
Building Inspections Performed	6	4	7	8	14.3%	5.0	-	8.0	145	29
Home Visit Inspections Performed	84	61	85	76	-10.6%	54.0	-	140.0	1566	29
Hydrants Inspected	36	41	40	41	2.5%	33.1	-	46.0	961	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.0	-	3.0	57	29
Fire Prevention Presentations	1	2	0	1		0.6	-	5.0	16	29
Smoke Detectors Installed	0	7	6	19	216.7%	7.7	-	29.0	223	29
Battalion Training (Hours)	8	8	8	10	25.0%	7.5	4.0	12.0	218.6	29
Company Training (Hours)	8.3	11	8	8	0.0%	8.3	2.0	11.3	240.2	29
Total Time in Service	49.15	59.45	56.45	63.3	12.1%	54.3	38.3	84.5	1574.23	29
Engine 55										
Total Responses	44	49	64	53	-17.2%	53.5	36.0	81.0	1552	29
EMS Responses	17	17	30	14	-53.3%	21.8	8.0	37.0	633	29
Building Inspections Performed	8	8	9	10	11.1%	7.9	4.0	15.0	230	29
Home Visit Inspections Performed	54	34	42	50	19.0%	42.1	-	95.0	1220	29
Hydrants Inspected	28	20	29	36	24.1%	25.6	1.0	49.0	743	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.4	2.0	4.0	71	29
Fire Prevention Presentations	1	4	0	0	0.0%	0.6	-	4.0	17	29
Smoke Detectors Installed	0	13	5	0	-100.0%	5.8	-	17.0	169	29
Battalion Training (Hours)	4	4	4	5	25.0%	3.8	-	6.0	109.3	29
Company Training (Hours)	27	27	28	26	-7.1%	25.1	15.0	35.3	728.95	29
Total Time in Service	69.3	80	75.3	68.3	-9.3%	76.4	53.1	124.0	2216.31	29



CITISTAT

REPORTING PERIOD: OCTOBER 24, 2001 THROUGH NOVEMBER 06, 2001

FIRE SUPPRESSION (ENGINES)

ENGINE RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	09-12-09/25	09/26-10/9	10/10-10/23	10/24-11/06		Average	Minimum	Maximum	Total	Periods
Engine 56										
Total Responses	47	55	65	68	4.6%	57.4	39.0	75.0	1665	29
EMS Responses	32	35	39	39	0.0%	35.7	23.0	52.0	1035	29
Building Inspections Performed	4	2	9	5	-44.4%	6.5	-	19.0	188	29
Home Visit Inspections Performed	90	227	131	102	-22.1%	67.0	-	227.0	1944	29
Hydrants Inspected	51	56	51	57	11.8%	41.0	3.0	67.0	1189	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.3	1.0	3.0	67	29
Fire Prevention Presentations	0	0	1	0	-100.0%	1.0	-	7.0	29	29
Smoke Detectors Installed	6	9	5	6	20.0%	6.2	-	22.0	179	29
Battalion Training (Hours)	5.3	5	6	6	0.0%	5.0	-	8.0	144.7	29
Company Training (Hours)	15.3	6	11	16	45.5%	13.4	5.0	25.3	389.75	29
Total Time in Service	53.3	48	56.45	66	16.9%	55.8	33.1	70.3	1618.14	29
Engine 57										
Total Responses	35	35	36	39	8.3%	34.7	27.0	46.0	1006	29
EMS Responses	23	19	14	12	-14.3%	19.5	12.0	29.0	565	29
Building Inspections Performed	9	9	6	10	66.7%	15.2	-	61.0	442	29
Home Visit Inspections Performed	37	43	46	46	0.0%	48.1	-	135.0	1396	29
Hydrants Inspected	22	22	22	22	0.0%	29.0	-	121.0	840	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	10	10	10	10	0.0%	7.3	2.0	12.0	213	29
Fire Prevention Presentations	0	8	0	0	0.0%	1.2	-	8.0	34	29
Smoke Detectors Installed	0	5	6	3	-50.0%	4.2	-	24.0	123	29
Battalion Training (Hours)	10	10	8	11	37.5%	9.2	2.0	37.0	266.5	29
Company Training (Hours)	8	5	7	4	-42.9%	8.2	4.0	18.0	238.3	29
Total Time in Service	52	75.3	45.25	56.4	24.6%	61.5	40.0	105.5	1782.62	29
Engine 58										
Total Responses	63	72	94	98	4.3%	75.2	59.0	98.0	2180	29
EMS Responses	31	48	40	53	32.5%	44.6	31.0	57.0	1292	29
Building Inspections Performed	13	6	16	7	-56.3%	7.7	1.0	22.0	223	29
Home Visit Inspections Performed	55	15	6	97	1516.7%	25.4	-	97.0	736	29
Hydrants Inspected	41	41	43	58	34.9%	38.3	-	58.0	1112	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	3	50.0%	2.4	2.0	4.0	69	29
Fire Prevention Presentations	2	9	0	2		1.9	-	17.0	56	29
Smoke Detectors Installed	12	6	0	10		7.1	-	26.0	206	29
Battalion Training (Hours)	6	3	2	3	50.0%	6.2	-	35.0	178.55	29
Company Training (Hours)	17	21.3	16.3	18.3	12.3%	19.7	3.0	28.0	570.15	29
Total Time in Service	63	81.55	75.15	89.15	18.6%	76.5	57.1	104.4	2219.51	29
Engine 124										
Total Responses	41	39	49	37	-24.5%	41.0	23.0	57.0	1189	29
EMS Responses	21	14	19	17	-10.5%	21.6	13.0	33.0	625	29
Building Inspections Performed	8	9	6	5	-16.7%	8.0	-	18.0	232	29
Home Visit Inspections Performed	86	20	62	94	51.6%	76.8	-	198.0	2226.5	29
Hydrants Inspected	34	31	30	52	73.3%	30.9	-	152.0	896	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	3	50.0%	2.1	2.0	3.0	62	29
Fire Prevention Presentations	0	0	2	1	-50.0%	0.3	-	2.0	10	29
Smoke Detectors Installed	10	17	8	19	137.5%	8.6	-	34.0	249	29
Battalion Training (Hours)	4	1	1.3	2.3	76.9%	3.6	-	14.0	103.09	29
Company Training (Hours)	6	7	5.3	13	145.3%	8.7	-	21.2	251.2	29
Total Time in Service	43.45	54	40.15	54.15	34.9%	45.5	28.0	80.5	1320.45	29



CITISTAT

REPORTING PERIOD: OCTOBER 24, 2001 THROUGH NOVEMBER 06, 2001

FIRE SUPPRESSION (TRUCKS)

TRUCK RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	09/12-09/25	09/26-10/9	10/10-10/23	10/24-11/06		Average	Minimum	Maximum	Total	Periods
Truck 1										
Total Responses	118	118	142	129	-9.2%	126.0	94.0	148.0	3655	29
EMS Response	54	60	59	50	-15.3%	58.0	24.0	85.0	1683	29
Building Inspections Performed	4	2	2	7	250.0%	5.2	1.0	11.0	152	29
Home Visit Inspections Performed	14	24	13	20	53.8%	13.3	-	56.0	387	29
Hydrants Inspected	42	41	42	35	-16.7%	31.6	-	58.0	916	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.4	1.0	6.0	70	29
Fire Prevention Presentations	0	1	0	0	0.0%	0.8	-	5.0	23	29
Smoke Detectors Installed	10	8	11	15	36.4%	3.1	-	22.0	90	29
Battalion Training (Hours)	1	3	3.3	2	-39.4%	3.2	-	7.0	91.95	29
Company Training (Hours)	6	5	2	6	200.0%	6.3	1.3	14.0	181.5	29
Total Time in Service	58.4	69.3	67.5	71.05	5.3%	74.2	56.3	113.1	2150.78	29
Truck 3										
Total Responses	74	75	67	65	-3.0%	77.4	57.0	115.0	2244	29
EMS Response	42	39	33	26	-21.2%	35.6	26.0	49.0	1032	29
Building Inspections Performed	6	9	5	4	-20.0%	6.1	1.0	15.0	176	29
Home Visit Inspections Performed	51	41	31	66	112.9%	37.2	-	89.0	1078	29
Hydrants Inspected	36	39	36	39	8.3%	37.9	14.0	71.0	1100	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.4	2.0	4.0	70	29
Fire Prevention Presentations	0	5	3	0	-100.0%	1.1	-	11.0	33	29
Smoke Detectors Installed	0	0	0	0	0.0%	3.3	-	17.0	96	29
Battalion Training (Hours)	2	1	3.3	4	21.2%	3.4	1.0	6.0	98.9	29
Company Training (Hours)	6	8	5	5	0.0%	6.8	4.0	18.0	197	29
Total Time in Service	51.45	61.3	59.15	50.3	-15.0%	55.2	21.0	75.2	1600.53	29
Truck 5										
Total Responses	89	127	114	103	-9.6%	109.5	80.0	131.0	3176	29
EMS Response	41	70	63	51	-19.0%	54.7	37.0	74.0	1585	29
Building Inspections Performed	12	14	13	20	53.8%	12.6	-	22.0	365	29
Home Visit Inspections Performed	45	15	30	62	106.7%	40.6	-	113.0	1178	29
Hydrants Inspected	60	50	51	50	-2.0%	39.0	-	70.0	1132	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.4	1.0	3.0	71	29
Fire Prevention Presentations	0	2	0	0	0.0%	0.8	-	3.0	23	29
Smoke Detectors Installed	2	5	23	24	4.3%	11.6	-	56.0	336	29
Battalion Training (Hours)	2.3	4	4	2	-50.0%	2.5	-	5.0	72.35	29
Company Training (Hours)	18	16	20.3	21.3	4.9%	12.2	2.0	21.3	353.3	29
Total Time in Service	72.31	102.5	77.1	85.1	10.4%	77.1	53.2	117.2	2236.52	29
Truck 6										
Total Responses	58	47	61	53	-13.1%	52.7	37.0	75.0	1529	29
EMS Response	21	14	13	18	38.5%	19.7	13.0	32.0	572	29
Building Inspections Performed	2	3	7	2	-71.4%	5.2	-	60.0	150	29
Home Visit Inspections Performed	56	33	33	50	51.5%	31.6	-	103.0	917	29
Hydrants Inspected	30	30	30	30	0.0%	24.2	-	60.0	702	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.1	-	3.0	60	29
Fire Prevention Presentations	1	0	2	0	-100.0%	0.2	-	2.0	7	29
Smoke Detectors Installed	0	0	0	0	0.0%	2.9	-	31.0	83	29
Battalion Training (Hours)	4	3	4	2	-50.0%	3.1	-	6.0	89.3	29
Company Training (Hours)	6	9	5	8	60.0%	7.5	2.0	26.2	217.05	29
Total Time in Service	34.45	45.35	49.45	45	-9.0%	41.8	25.0	79.5	1213.17	29



CITISTAT

REPORTING PERIOD: OCTOBER 24, 2001 THROUGH NOVEMBER 06, 2001

FIRE SUPPRESSION (TRUCKS)

TRUCK RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	09/12-09/25	09/26-10/9	10/10-10/23	10/24-11/06		Average	Minimum	Maximum	Total	Periods
Truck 8										
Total Responses	78	61	82	72	-12.2%	79.7	55.0	121.0	2310	29
EMS Response	30	34	27	29	7.4%	37.9	23.0	54.0	1098	29
Building Inspections Performed	11	13	7	3	-57.1%	8.8	-	19.0	255	29
Home Visit Inspections Performed	28	51	30	25	-16.7%	30.3	-	120.0	879	29
Hydrants Inspected	42	39	35	34	-2.9%	30.3	-	51.0	878	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.3	1.0	4.0	66	29
Fire Prevention Presentations	0	0	0	0	0.0%	0.4	-	4.0	11	29
Smoke Detectors Installed	15	0	5	1	-80.0%	5.8	-	15.0	167	29
Battalion Training (Hours)	17	12	10	14	40.0%	11.2	4.0	17.0	325	29
Company Training (Hours)	12.3	10	11	8	-27.3%	8.8	3.0	16.0	256.5	29
Total Time in Service	79.3	67.3	68	67.3	-1.0%	71.0	38.2	88.3	2060.15	29
Truck 10										
Total Responses	101	88	94	98	4.3%	95.1	75.0	121.0	2757	29
EMS Response	53	29	36	39	8.3%	38.7	26.0	55.0	1121	29
Building Inspections Performed	13	7	10	11	10.0%	8.3	-	22.0	242	29
Home Visit Inspections Performed	22	12	26	18	-30.8%	17.4	-	71.0	505	29
Hydrants Inspected	9	18	18	25	38.9%	14.8	-	34.0	428	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	4	3	4	33.3%	2.6	-	5.0	75	29
Fire Prevention Presentations	0	1	3	1	-66.7%	1.4	-	15.0	40	29
Smoke Detectors Installed	5	14	3	3	0.0%	5.9	-	20.0	170	29
Battalion Training (Hours)	3	3	4	5.3	32.5%	2.6	-	6.0	76.75	29
Company Training (Hours)	14	14	14	13	-7.1%	7.4	-	17.0	213.65	29
Total Time in Service	65.15	67.45	87	70	-19.5%	65.6	40.3	114.5	1901.32	29
Truck 12										
Total Responses	74	75	92	78	-15.2%	76.9	49.0	116.0	2230	29
EMS Response	33	25	39	27	-30.8%	33.7	9.0	74.0	977	29
Building Inspections Performed	4	10	5	7	40.0%	5.4	1.0	12.0	158	29
Home Visit Inspections Performed	48	107	50	84	68.0%	43.4	-	113.0	1259	29
Hydrants Inspected	52	35	33	37	12.1%	36.1	-	85.0	1048	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.6	2.0	4.0	74	29
Fire Prevention Presentations	1	6	7	4	-42.9%	1.2	-	7.0	36	29
Smoke Detectors Installed	0	22	8	10	25.0%	11.9	-	38.0	344	29
Battalion Training (Hours)	10	8	9	4	-55.6%	7.1	2.0	13.0	205.5	29
Company Training (Hours)	19	13	13	19	46.2%	11.7	6.3	19.0	339.35	29
Total Time in Service	74.05	92.3	76.3	71.05	-6.9%	67.9	46.3	120.3	1969.6	29
Truck 15										
Total Responses	116	142	117	119	1.7%	130.0	101.0	183.0	3771	29
EMS Response	72	88	64	65	1.6%	72.0	51.0	104.0	2088	29
Building Inspections Performed	5	9	10	0	-100.0%	14.2	-	75.0	412	29
Home Visit Inspections Performed	43	47	25	0	-100.0%	29.9	-	99.0	868	29
Hydrants Inspected	54	48	60	52	-13.3%	37.5	-	90.0	1088	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.2	1.0	4.0	65	29
Fire Prevention Presentations	0	1	3	0	-100.0%	1.5	-	13.0	43	29
Smoke Detectors Installed	0	0	47	0	-100.0%	11.8	-	47.0	343	29
Battalion Training (Hours)	2	2	4	1	-75.0%	2.9	-	9.0	85.35	29
Company Training (Hours)	3	6.3	2	43	2050.0%	6.1	1.0	43.0	175.5	29
Total Time in Service	62.2	86.1	63.05	87.2	38.3%	72.8	10.6	115.3	2110.84	29



CITISTAT

REPORTING PERIOD: OCTOBER 24, 2001 THROUGH NOVEMBER 06, 2001

FIRE SUPPRESSION (TRUCKS)

TRUCK RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	09/12-09/25	09/26-10/9	10/10-10/23	10/24-11/06		Average	Minimum	Maximum	Total	Periods
Truck 16										
Total Responses	122	133	116	157	35.3%	129.7	93.0	157.0	3760	29
EMS Response	45	49	49	56	14.3%	54.7	41.0	71.0	1585	29
Building Inspections Performed	4	5	3	5	66.7%	6.0	1.0	18.0	173	29
Home Visit Inspections Performed	6	1	22	3	-86.4%	24.9	-	153.0	721	29
Hydrants Inspected	72	51	42	48	14.3%	44.2	-	100.0	1281	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.5	2.0	4.0	73	29
Fire Prevention Presentations	2	3	11	0	-100.0%	1.6	-	11.0	47	29
Smoke Detectors Installed	0	2	0	0	0.0%	2.9	-	18.0	84	29
Battalion Training (Hours)	1	3	1	2	100.0%	3.4	-	10.3	98.45	29
Company Training (Hours)	4	6	10	2	-80.0%	5.1	2.0	10.3	149	29
Total Time in Service	55.1	68.55	67.45	72.25	7.1%	74.6	47.6	153.1	2163.55	29
Truck 18										
Total Responses	74	79	53	68	28.3%	68.8	50.0	106.0	1995	29
EMS Response	40	40	27	29	7.4%	34.7	21.0	45.0	1007	29
Building Inspections Performed	4	7	5	2	-60.0%	9.0	-	51.0	262	29
Home Visit Inspections Performed	98	77	105	8	-92.4%	79.5	-	197.0	2305	29
Hydrants Inspected	56	48	60	30	-50.0%	50.0	-	93.0	1451	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.6	2.0	4.0	74	29
Fire Prevention Presentations	0	9	2	0	-100.0%	2.9	-	14.0	85	29
Smoke Detectors Installed	0	0	11	12	9.1%	16.6	-	50.0	480	29
Battalion Training (Hours)	10.3	13.3	11	8	-27.3%	10.7	4.0	20.2	309.25	29
Company Training (Hours)	17.45	14.3	17.3	65.3	277.5%	17.6	7.5	65.3	510.2	29
Total Time in Service	72.1	82.45	74.15	108.3	46.1%	77.1	61.4	108.3	2235.56	29
Truck 20										
Total Responses	35	48	44	35	-20.5%	39.6	25.0	52.0	1148	29
EMS Response	12	20	21	14	-33.3%	16.1	7.0	22.0	467	29
Building Inspections Performed	11	6	9	9	0.0%	7.8	-	17.0	227	29
Home Visit Inspections Performed	38	63	74	44	-40.5%	69.3	-	190.0	2009	29
Hydrants Inspected	39	35	34	38	11.8%	32.8	-	63.0	952	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	3	50.0%	2.4	2.0	3.0	70	29
Fire Prevention Presentations	0	0	2	1	-50.0%	0.5	-	3.0	15	29
Smoke Detectors Installed	0	9	0	0	0.0%	6.1	-	26.0	176	29
Battalion Training (Hours)	8	11.3	5	4	-20.0%	6.6	1.0	14.0	191.2	29
Company Training (Hours)	11	12	9	14	55.6%	12.6	4.0	31.0	364.7	29
Total Time in Service	48.3	66	53.3	53.15	-0.3%	54.1	35.5	81.3	1567.71	29
Truck 21										
Total Responses	29	30	40	40	0.0%	27.8	16.0	40.0	806	29
EMS Response	9	11	13	6	-53.8%	8.4	4.0	14.0	244	29
Building Inspections Performed	1	5	3	4	33.3%	4.6	-	18.0	132	29
Home Visit Inspections Performed	24	0	24	21	-12.5%	32.4	-	137.0	941	29
Hydrants Inspected	23	22	22	22	0.0%	43.0	-	191.0	1247	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	2	0.0%	2.4	1.0	4.0	70	29
Fire Prevention Presentations	0	4	0	0	0.0%	1.1	-	5.0	31	29
Smoke Detectors Installed	0	5	0	8		4.7	-	14.0	135	29
Battalion Training (Hours)	6	1	6.3	4	-36.5%	7.6	1.0	18.0	219.8	29
Company Training (Hours)	14	15	13	13.3	2.3%	15.8	2.3	23.3	457.1	29
Total Time in Service	45.4	46.25	47.05	52	10.5%	55.8	34.5	100.2	1618.92	29



CITISTAT

REPORTING PERIOD: OCTOBER 24, 2001 THROUGH NOVEMBER 06, 2001

FIRE SUPPRESSION (TRUCKS)

TRUCK RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	09/12-09/25	09/26-10/9	10/10-10/23	10/24-11/06		Average	Minimum	Maximum	Total	Periods
Truck 23										
Total Responses	49	53	54	55	1.9%	56.8	43.0	93.0	1648	29
EMS Response	11	14	17	10	-41.2%	21.1	10.0	56.0	612	29
Building Inspections Performed	10	9	11	11	0.0%	6.6	-	14.0	192	29
Home Visit Inspections Performed	18	52	35	60	71.4%	23.7	-	98.0	686	29
Hydrants Inspected	31	35	47	44	-6.4%	26.3	-	55.0	764	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.2	-	6.0	63	29
Fire Prevention Presentations	0	0	0	1		0.5	-	2.0	14	29
Smoke Detectors Installed	8	13	10	3	-70.0%	4.9	-	22.0	143	29
Battalion Training (Hours)	4	4	6	4	-33.3%	4.3	-	12.0	124.45	29
Company Training (Hours)	11.3	14	14.3	12	-16.1%	10.9	3.0	28.0	316.9	29
Total Time in Service	53	64.3	74.3	68.3	-8.1%	63.6	40.2	102.0	1844.88	29
Truck 25										
Total Responses	59	66	71	53	-25.4%	53.7	40.0	71.0	1556	29
EMS Response	17	16	12	12	0.0%	11.4	4.0	21.0	332	29
Building Inspections Performed	8	11	7	0	-100.0%	6.4	-	20.0	187	29
Home Visit Inspections Performed	59	33	36	42	16.7%	67.6	-	141.0	1961	29
Hydrants Inspected	69	69	64	62	-3.1%	47.3	-	70.0	1371	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.1	1.0	3.0	61	29
Fire Prevention Presentations	0	1	2	0	-100.0%	2.1	-	25.0	61	29
Smoke Detectors Installed	9	3	4	0	-100.0%	2.3	-	9.0	67	29
Battalion Training (Hours)	6	5	5.3	3	-43.4%	5.6	2.0	10.0	162.3	29
Company Training (Hours)	10.3	5	5	7	40.0%	8.5	4.0	15.4	246.55	29
Total Time in Service	55.3	61.45	54	48.45	-10.3%	53.5	36.6	72.3	1550.41	29
Truck 26										
Total Responses	49	61	66	67	1.5%	56.9	40.0	80.0	1649	29
EMS Response	22	25	24	27	12.5%	25.8	16.0	37.0	749	29
Building Inspections Performed	9	11	5	17	240.0%	9.8	-	23.0	283	29
Home Visit Inspections Performed	63	99	43	49	14.0%	58.2	-	140.0	1689	29
Hydrants Inspected	46	59	45	47	4.4%	42.2	-	98.0	1223	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	3	2	-33.3%	2.3	-	4.0	67	29
Fire Prevention Presentations	0	0	4	3	-25.0%	0.9	-	7.0	26	29
Smoke Detectors Installed	5	7	20	27	35.0%	15.8	-	88.0	457	29
Battalion Training (Hours)	2	2	4	2.3	-42.5%	3.7	-	8.0	108.5	29
Company Training (Hours)	10	9	7.3	8	9.6%	8.8	3.0	14.3	255.75	29
Total Time in Service	42.45	64.15	55.15	64.3	16.6%	56.4	37.2	80.2	1634.31	29
Truck 27										
Total Responses	33	53	73	43	-41.1%	52.4	33.0	73.0	1520	29
EMS Response	13	24	34	19	-44.1%	23.1	13.0	34.0	669	29
Building Inspections Performed	8	7	3	1	-66.7%	4.7	-	13.0	137	29
Home Visit Inspections Performed	37	33	21	0	-100.0%	27.2	-	115.0	790	29
Hydrants Inspected	20	50	53	50	-5.7%	36.3	-	104.0	1053	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.3	2.0	3.0	66	29
Fire Prevention Presentations	0	2	1	3	200.0%	1.1	-	11.0	31	29
Smoke Detectors Installed	4	3	6	0	-100.0%	3.0	-	17.0	88	29
Battalion Training (Hours)	10	7	4	4	0.0%	11.0	4.0	51.0	319.2	29
Company Training (Hours)	10.3	10	8	57	612.5%	10.3	4.0	57.0	299.5	29
Total Time in Service	43.21	56.15	47.5	88.55	86.4%	53.4	31.0	88.6	1550.03	29



CITISTAT

REPORTING PERIOD: OCTOBER 24, 2001 THROUGH NOVEMBER 06, 2001

FIRE SUPPRESSION (TRUCKS)

TRUCK RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	09/12-09/25	09/26-10/9	10/10-10/23	10/24-11/06		Average	Minimum	Maximum	Total	Periods
Truck 29										
Total Responses	68	77	86	82	-4.7%	75.2	60.0	95.0	2181	29
EMS Response	35	24	33	29	-12.1%	28.5	16.0	44.0	827	29
Building Inspections Performed	3	3	20	4	-80.0%	4.0	-	20.0	116	29
Home Visit Inspections Performed	17	75	48	19	-60.4%	35.3	-	173.0	1024	29
Hydrants Inspected	41	41	41	41	0.0%	30.2	-	47.0	875	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	2	0.0%	2.2	1.0	4.0	65	29
Fire Prevention Presentations	1	8	0	0	0.0%	0.8	-	8.0	23	29
Smoke Detectors Installed	33	18	12	20	66.7%	14.7	-	63.0	426	29
Battalion Training (Hours)	8	7	4	3	-25.0%	6.0	-	9.0	173.45	29
Company Training (Hours)	5	3	5	8	60.0%	5.3	2.0	14.0	155	29
Total Time in Service	49.45	60	56.3	59.15	5.1%	53.6	23.2	72.0	1553.51	29
Truck 30										
Total Responses	31	48	48	59	22.9%	47.9	25.0	75.0	1388	29
EMS Response	19	19	21	25	19.0%	25.2	7.0	45.0	731	29
Building Inspections Performed	3	6	8	7	-12.5%	5.2	-	16.0	151	29
Home Visit Inspections Performed	54	53	79	39	-50.6%	54.6	-	133.0	1584	29
Hydrants Inspected	41	45	60	42	-30.0%	35.2	-	63.0	1020	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	2	2	2	0.0%	2.1	1.0	4.0	61	29
Fire Prevention Presentations	1	0	0	0	0.0%	0.8	-	5.0	23	29
Smoke Detectors Installed	6	0	0	0	0.0%	4.4	-	12.0	129	29
Battalion Training (Hours)	6	6	6	7	16.7%	7.2	4.0	13.0	210	29
Company Training (Hours)	12	11	15	25	66.7%	15.0	8.0	28.0	434.5	29
Total Time in Service	48.45	48.15	59.3	79.3	33.7%	57.3	39.2	84.5	1661.83	29
Aerial Tower 102										
Total Responses	72	82	109	97	-11.0%	95.8	65.0	116.0	2778	29
EMS Response	35	39	31	36	16.1%	37.2	23.0	56.0	1080	29
Building Inspections Performed	6	5	10	6	-40.0%	7.2	2.0	34.0	209	29
Home Visit Inspections Performed	0	0	19	0	-100.0%	13.8	-	42.0	401	29
Hydrants Inspected	37	37	37	37	0.0%	30.1	-	44.0	872	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	2.4	1.0	6.0	71	29
Fire Prevention Presentations	0	3	1	0	-100.0%	1.1	-	5.0	31	29
Smoke Detectors Installed	0	0	0	0	0.0%	0.7	-	4.0	21	29
Battalion Training (Hours)	6	4	5.3	4	-24.5%	3.9	2.0	10.0	114.4	29
Company Training (Hours)	5	7	5	4	-20.0%	5.4	1.0	10.0	157.9	29
Total Time in Service	42.4	52.05	60.3	54	-10.4%	61.8	39.5	137.2	1793.18	29



CITISTAT

REPORTING PERIOD: OCTOBER 24, 2001 THROUGH NOVEMBER 06, 2001

EMERGENCY MEDICAL SERVICES (EMS)

EMS RESPONSES	2 - WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	09/12-09/25	09/26-10/9	10/10-10/23	10/24-11/06		Average	Minimum	Maximum	Total	Periods
Medic 1 - Total Responses	216	235	242	243	0.4%	245.0	213.0	282.0	7104	29
Medic 2 - Total Responses	145	145	147	148	0.7%	145.8	123.0	180.0	4228	29
Medic 3 - Total Responses	221	228	222	207	-6.8%	194.9	160.0	234.0	5652	29
Medic 4 - Total Responses	229	245	236	274	16.1%	255.9	219.0	291.0	7420	29
Medic 5 - Total Responses	194	183	207	179	-13.5%	191.1	158.0	222.0	5541	29
Medic 6 - Total Responses	157	182	178	193	8.4%	179.7	151.0	267.0	5211	29
Medic 7 - Total Responses	257	261	243	249	2.5%	251.4	210.0	281.0	7291	29
Medic 8 - Total Responses	191	186	184	217	17.9%	207.8	176.0	247.0	6027	29
Medic 9 - Total Responses	169	163	158	151	-4.4%	163.3	137.0	209.0	4735	29
Medic 10 - Total Responses	232	259	235	240	2.1%	246.2	207.0	288.0	7140	29
Medic 11 - Total Responses	203	188	180	169	-6.1%	190.1	147.0	226.0	5512	29
Medic 12 - Total Responses	190	195	186	208	11.8%	193.7	159.0	231.0	5616	29
Medic 13 - Total Responses	166	165	163	197	20.9%	174.3	143.0	205.0	5055	29
Medic 14 - Total Responses	167	166	150	152	1.3%	161.3	102.0	192.0	4679	29
Medic 15 - Total Responses	245	255	251	246	-2.0%	247.9	174.0	284.0	7190	29
Medic 16 - Total Responses	225	224	234	250	6.8%	250.2	211.0	285.0	7257	29
Medic 17 - Total Responses	220	225	208	253	21.6%	211.7	197.0	253.0	6447	29
Medic 18 - Total Responses	149	147	141	158	12.1%	147.9	115.0	173.0	4289	29
Medic 19 - Total Responses	166	190	185	184	-0.5%	167.9	121.0	208.0	4869	29
Medic 20 - Total Responses	178	178	170	183	7.6%	168.0	150.0	226.0	5154	29
Medic 21 - Total Responses	257	238	232	243	4.7%	231.1	182.0	273.0	6702	29
Medic 22 - Total Responses	226	227	227	211	-7.0%	232.1	206.0	256.0	6731	29
Ambo 41 - Total Responses	10	2	13	8	-38.5%	10.0	1.0	27.0	291	29
Ambo 42 - Total Responses	6	0	10	8	-20.0%	9.9	-	24.0	287	29
Ambo 43 - Total Responses	10	4	8	9	12.5%	13.0	2.0	31.0	378	29
Ambo 44 - Total Responses	3	2	10	7	-30.0%	10.6	-	28.0	306	29



CITISTAT

REPORTING PERIOD: OCTOBER 24, 2001 THROUGH NOVEMBER 06, 2001

HAZMAT

HAZMAT RESPONSES	2 -WEEK REPORTING PERIODS				% CHANGE	YEAR-TO-DATE				
	09/12-09/25	09/26-10/9	10/10-10/23	10/24-11/06		Average	Minimum	Maximum	Total	Periods
Total Responses	2	4	23	19	-17.4%	4.9	1.0	23.0	142	29
Spills/Ground	0	2	2	2	0.0%	2.2	-	5.0	64	29
Spills/Water	0	0	0	0	0.0%	0.1	-	1.0	4	29
Unusual Odor	0	1	0	1		0.5	-	3.0	14	29
Release to Atmosphere	1	1	1	0	-100.0%	0.2	-	1.0	7	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	0	0	0	0	0.0%	2.2	-	28.0	64	29
Fire Prevention Presentations	0	0	0	0	0.0%	0.1	-	4.0	4	29
Other	1	0	20	16	-20.0%	1.7	-	20.0	48	29
Battalion Training(Hours)	0	0	0	0	0.0%	2.0	-	9.3	59.3	29
Company Training(Hours)	0	4	0	0	0.0%	2.8	-	25.0	82	29
Total Time In Service	6.35	9.55	22.55	17.2	-23.7%	14.6	0.3	71.6	422.35	29

MARINE UNIT

RESPONSES					% CHANGE	YEAR-TO-DATE				
	09/12-09/25	09/26-10/9	10/10-10/23	10/24-11/06		Average	Minimum	Maximum	Total	Periods
Total Responses	5	7	6	4	-33.3%	7.3	-	17.0	211	29
EMS Responses	0	2	0	0	0.0%	0.6	-	5.0	18	29
Building Inspections Performed	6	6	6	6	0.0%	5.6	4.0	6.0	161	29
Home Visit Inspections	0	0	0	0	0.0%	-	-	-	0	29
Hydrant Inspections Performed	0	0	0	0	0.0%	0.2	-	6.0	6	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	6	6	6	6	0.0%	5.4	-	9.0	156	29
Fire Prevention Presentations	1	1	0	0	0.0%	0.2	-	2.0	6	29
Smoke Detectors Installed	0	0	0	0	0.0%	-	-	-	0	29
Battalion Training(Hours)	4	4	0	0	0.0%	3.8	-	6.3	110.3	29
Company Training(Hours)	12	12	0	0	0.0%	11.1	-	14.0	322	29
Total Time in Service	31.2	31	13.5	13.1	-3.0%	32.1	13.1	66.3	931.81	29

RESCUE 1

RESCUE RESPONSES					% CHANGE	YEAR-TO-DATE				
	09/12-09/25	09/26-10/9	10/10-10/23	10/24-11/06		Average	Minimum	Maximum	Total	Periods
Total Responses	41	43	43	48	11.6%	47.9	28.0	66.0	1388	29
EMS Responses	0	0	0	0	0.0%	0.6	-	4.0	18	29
Building Inspections Performed	3	2	1	4	300.0%	5.9	-	20.0	170	29
Home Visit Inspections	0	0	0	0	0.0%	5.1	-	74.0	148	29
Hydrant Inspections Performed	30	30	30	30	0.0%	24.3	-	42.0	706	29
Apparatus Inspections Performed (Weekly Pump/Ladder Test)	2	3	2	3	50.0%	3.1	1.0	10.0	89	29
Fire Prevention Presentations	1	0	0	0	0.0%	0.6	-	3.0	17	29
Smoke Detectors Installed	0	0	0	0	0.0%	0.3	-	3.0	8	29
Battalion Training(Hours)	4	4	1	3	200.0%	4.9	-	28.0	142.6	29
Company Training(Hours)	16	7	17	10	-41.2%	12.0	2.0	24.0	346.92	29
Total Time in Service	48	52.05	49.5	45.3	-8.5%	59.2	35.3	151.5	1716.84	29



CITISTAT

REPORTING PERIOD: OCTOBER 24, 2001 THROUGH NOVEMBER 06, 2001

FIRE INSPECTION PERFORMANCE

Inspector Name	Assignment	2 -WEEK REPORTING PERIODS				% CHANGE	Annual Totals		
		09/12-09/25	09/26-10/9	10/10-10/23	10/24-11/06		FY02 (1 QTR)	FY2001	FY2000
*1	Area Supervisor	0	0	1	0	-100.0%			489
2	Area Supervisor	28	51	25	60	140.0%			1,019
3	Public Assembly	134	152	69	146	111.6%			1,545
**4	District Inspector	35	23	3	24	700.0%			601
**5	District Inspector	63	19	48	31	-35.4%			1,072
6	Day Care Homes	23	19	36	66	83.3%			771
7	District Inspector	49	28	45	39	-13.3%			738
8	District Inspector	47	0	8	55	587.5%			813
**9	District Inspector	40	36	34	21	-38.2%			1,418
10	Public Assembly	155	174	89	199	123.6%			1,653
**11	Health Care	44	59	46	38	-17.4%			882
***12	District Inspector	20	0	0	21				709
13	Public Assembly	118	201	130	125	-3.8%			1,828
***14	Assisted Living	13	23	21	0	-100.0%			649
15	Public Assembly	159	115	84	74	-11.9%			not assigned
16	Public Assembly	51	151	71	137	93.0%			not assigned

* Lt. Pugh detailed to Combined Charities Campaign

** F.I.s Chapman, Gardner, O'Malley and Stanley were on recertification training for 2 days

*** F.I. Harris and Wilt off duty sick